



ATIS 132.1 Santiago Radar	SANTIAGO RADAR 119.7/129.7	TORRE SANTIAGO Santiago Tower 118.1/118.35	CONTROL TERRESTRE GNDC W 122.5/122.6	Ground Control GNDC E 122.2/122.6
RNP	FINAL APCH CRS 177°	MNM ALT ATTES 3000'	LNAV/VNAV DA(H) 1880'(330')	AD Elev. 1555' THR 17L Elev. 1550'
APCH FRUSTRADA: ASC 2100' viraje izquierda para continuar via RNAV MA TR to TEGEB 6000', luego según AUTH ATC*** Missed Apch: Climb to 2100' left turn to continue via RNAV MA TR to TEGEB 6000', then according ATC clearance***.				19000 FT MSA 25 NM RW17L



C A T	DIRECTO RWY 17L <i>Straight in RWY 17L</i>				CIRCULANDO Circling	ALTN Alternate Minimums
	LNAV/VNAV DA 1880' (330')	LNAV MDA 1980' (430')				
A	ALSF-2	WO ALSF-2	ALSF-2	WO ALSF-2	NA	VER PAG. GEN 2.19 See page GEN 2.19
B	1.2 Km	1.6 Km	1.2 Km	1.6 Km		
C			2.0 Km	2.4 Km		
D						

PROC BARO-VNAV NA BLW -5°C ó ABV 45°C						
Veloc. Terrestre Kts	80	100	120	140	160	*** MNM razón ASC MA: 320FT/NM TIL 6000'
Angulo DES 3° FPM	425'	531'	637'	743'	849'	
MAPt en RW17L						