



**INSTRUMENT
APPROACH
CHART - ICAO**

SHEREMETYEVO RADAR 118.100 120.675 122.700 126.600 135.175
SHEREMETYEVO TOWER 118.700 120.700 131.500

**MOSCOW, RUSSIA
SHEREMETYEVO
RNP RWY 06C**



DIST to RW06C	8.0	6.0	4.0	2.0
ALTITUDE/HEIGHT	2000'/(425)	1690'/(325)	1350'/(225)	1010'/(120)



OCA(H)		A	B	C	D
Straight-in Approach	MNM climb gradient for missed APCH				
	LNNAV	1140' (520') (160)	1140' (520') (160)	1140' (520') (160)	1140' (520') (160)
	LNNAV/VNAV	880' (260') (80)	890' (270') (85)	900' (280') (90)	930' (310') (95)

1 TRANSITION LEVEL:
 - FL110 when QNH is 1013 hPa (760mm mercury column) or above;
 - FL120 when QNH is 977 hPa (733mm mercury column) or above, but less than 1013 hPa (760mm mercury column);
 - FL130 when QNH is less than 977 hPa (733mm mercury column).

GROUND SPEED	km/h	150	180	210	240	270	300	330	360	390	420	450
RATE OF DESCENT	m/s	2.2	2.6	3.1	3.5	3.9	4.3	4.8	5.2	5.6	6.1	6.5
	ft/min	427	512	597	683	768	853	939	1024	1109	1195	1280

CHANGE: UUP447