

AD2 AERODROMES
DAAS AD 2.1 Aerodrome location indicator and name
DAAS – SETIF/ 8 MAI 45

DAAS AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	36°10'42.55"N 005°19'47.55"E Centre of runway.
2	Direction and distance from (city)	Located of 10 Km WEST from city of SETIF
3	Elevation/Reference Temperature	1016 M/33° C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR / Annual change	1°E/2017 (6'E)
6	AD administration Address Telephone FAX TELEX AFS	SETIF AIRPORT Aéroport de SETIF /8 Mai 45 - BP 219 /Sétif Tel: +213 36 543135 TWR: +213 36 543130 ABO/ARO: +213 36 543149 MBO: +213 36 543179 Telefax: +213 36543175 Telex: NIL AFS: DAASYDYD.
7	Type of traffic	IFR/VFR
8	Remarks	Civil military aerodrome.

DAAS AD 2.3 OPERATIONAL HOURS

1	AD administration	0700/1500
2	Customs and immigration	H24
3	Health and sanitation	According to the flight program.
4	AIS briefing office	H24
5	ATS reporting office (ARO)	H24
6	MET briefing office	H24
7	ATS	H24
8	Fueling	H24
9	Handling	During the flight hours.
10	Safety	H24
11	De-icing	NIL
12	Remarks	NIL

DAAS AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	NIL
2	Fuel and oil types	JET A1.
3	Fueling facilities and capacity	A truck fueling 60 m ³ /h.
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

DAAS AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	In city.
2	<i>Restaurants</i>	In city.
3	<i>Transportation facilities</i>	Taxi-Bus.
4	<i>Medical facilities</i>	In city.
5	<i>Bank and post office</i>	In city.
6	<i>Tourist office</i>	In city.
7	<i>Remarks</i>	NIL

DAAS AD 2.6 RESCUE AND FIREFIGHTING SERVICES

1	<i>AD category for firefighting</i>	CAT 6.
2	<i>Rescue equipment</i>	Yes, CAT 6.
3	<i>Capability for removal of disabled aircraft</i>	Available.
4	<i>Remarks</i>	NIL

DAAS AD 2.7 SEASONAL AVAILABILITY, CLEARING

1	<i>Type of clearing equipment</i>	Available at the DTP of SETIF.
2	<i>Clearance priorities</i>	RWY, TWY and apron.
3	<i>Remarks / Observations</i>	NIL

DAAS AD 2.8 APRONS, TWY AND CHECK LOCATIONS

1	<i>Apron surface and strength</i>	Surface: Bituminous concrete Strength: PCR 560 F/D/W/T		
2	<i>Taxiway width, surface and strength</i>	A, B1 ,B3. 25 M. Bituminous concrete PCR 560 F/D/W/T	B2 25 M. Bituminous concrete PCR NIL	C, D and F 25 M. Bituminous concrete PCR 500 F/D/W/T
3	<i>Altimeter checkpoint location and elevation</i>	NIL NIL		
4	<i>VOR checkpoints</i>	NIL		
5	<i>INS checkpoints</i>	NIL		
6	<i>Remarks</i>	Shoulders: 9.5 M.		

DAAS AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guidelines and visual docking / parking guidance system of aircraft stands	Marking on the ground of 08 parking stations. YES. YES.
2	RWY and TWY markings and LGT	RWY RW THR lights, RWY end lights, TWY edge lights, Apron lights, RWY turn pad lights (1). RWY central line marking, RWY edge marking, THR marking, RWY designation marking, TDZ marking, constant distances marking. TWY TWY edge lights. TWY central line marking.
3	Stop bars	NIL
4	Remarks	1) Two (02) RWY turn pads in THR 09 and 27. Two (02) RWY turn pads intermediate.

DAAS AD 2.10 AERODROME OBSTACLES

<i>Approach and take-off areas</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DAASOB001	LOC Antenna	361039.70N 0051843.44E	HGT 3.20 M	Marked and LGTD	
DAASOB002	Monticule	400 m from THR 27	HGT 16.5 M	-	
DAASOB003	Building	361128.90N 0052432.93E	HGT 84 M	Marked and LGTD	

<i>Circling area and at aerodrome</i>					
<i>OBST ID / Designation</i>	<i>Obstacle type</i>	<i>OBST position</i>	<i>Elevation/Height</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DAASOB004	PRKG pylon	361033.01N 0051944.34E	HGT 19 M	Marked and LGTD	
DAASOB005	TWR	361032.90N 0051944.90E	HGT 20 M	Marked and LGTD	
DAASOB006	Water Tower	361114.48N 0051918.80E	HGT 28 M	Marked and LGTD	
DAASOB007	GP Antenna	361041.29N 0052032.61E	HGT 17 M	Marked and LGTD	

DAAS AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	<i>Associated MET office</i>	METEO Station of SETIF
2	<i>Hours of service: MET office outside hours:</i>	H 24
3	<i>Office responsible for TAF preparation and Periods of validity</i>	Regional Meteorological Forecast center of AIN EL BEY - CONSTANTINE. 24 HOURS
4	<i>Trend Forecast and Interval of issuance:</i>	METAR 01 hour – TAF long 03 hours.
5	<i>Briefing/consultation provided</i>	Personal
6	<i>Flight documentation and Language(s) used</i>	TAF, METAR, SIGMET, TEMSI et WITEM Fr/En
7	<i>Charts and other information available for briefing or consultation:</i>	SPECIAL, Aerodrome Warning (BMS Aero).
8	<i>Supplementary equipment available for providing Information on meteorological conditions</i>	-Weather sensors: MICROSTEP automatic station, wind -MD14 universal weather display in the control tower
9	<i>ATS units provided with meteorological information</i>	TWR
10	<i>Remarks</i>	NIL

DAAS AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designations RWY NR</i>	<i>TRUE BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCR) And surface of RWY and SWY</i>	<i>THR coordinates RWY end coordinates THR geoid undulation</i>	<i>THR elevation and Highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
09	087°	2900x 45	PCR :490 F/D/W/T -	361039.98N0051849.82E	1016/NIL
27	267°	2900x 45	Bituminous concrete	361045.12N0052045.58E	1011/NIL
<i>Slope of RWY-SWY</i>	<i>SWY Dimensions (M)</i>	<i>CWY Dimensions (M)</i>	<i>Strips Dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
- 0,3%	NIL	NIL	NIL	NIL	NIL
+ 0,32 %	NIL	NIL	NIL	NIL	NIL

DAAS AD 2.13 DECLARED DISTANCES

RWY designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
09	2900	2900	2900	2900	NIL
27	2900	2900	2900	2900	NIL

DAAS AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT Type LEN INTST	THR LGT Color WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Center Line LGT Length, spacing, color, INTST	RWY edge LGT LEN, spacing, color, INTST	RWY end LGT color, WBAR	SWY LGT LEN (M), Color	Remarks
1	2	3	4	5	6	7	8	9	10
09	Nil	Green	PAPI 3°	Nil	Nil	2900M, 30M, White, LIH	Red	Nil	Nil
27	Nil	Green	PAPI 3°	Nil	Nil	2900M, 30M, White, LIH	Red	Nil	Nil

DAAS AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	NIL
2	LDI location and lighting Anemometer location and lighting	WDI lighted: located from TWY C.
3	TWY edge and center line lights	TWY edge lights: Blue.
4	Secondary power supply/switch-over time	Two (02) power generators 200 KVA/ 09 seconds.
5	Remarks	NIL

DAAS AD 2.16 HELICOPTER LANDING AERA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation M/FT (m)	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True bearings of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

DAAS AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	CTR SETIF Circle of 10 NM radius centered on the ARP (361042.55 N 0051947.55 E).
2	<i>Vertical limits</i>	900M/GND
3	<i>Airspace classification</i>	D
4	<i>ATS unit call sign and language(s)</i>	SETIF TWR, FR, EN
5	<i>Transition altitude</i>	2040 M
6	<i>Remarks</i>	The aerodrome is in a restricted area (DAR 68).

DAAS AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Channel</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	SETIF TOWER	119.9 - 119.7 Mhz(a)	H24	NIL
SOL	SETIF GROUND	121.9 Mhz	H24	NIL

DAAS AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME Transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
VOR / DME (1° E 2017)	STF	114.6 MHZ (CH 93 X)	H24	361036.00N 0051719.00 E	987 M	NIL
LOC RWY 27 (1° E 2017)	ST	110.9 MHZ	H24	361039.69N 0051843.44 E	NIL	NIL
GP 27	-	330.8MHZ	H24	361041.29N 0052032.61E	NIL	NIL
DME-P	ST	CH46X	H24	361041.29N 0052032.61E	NIL	NIL

DAAS AD 2.20 LOCAL AERODROME REGULATIONS

NIL

- Mandatory turn around on RWY turn pad.

DAAS AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

DAAS AD 2.22 FLIGHT PROCEDURES

NIL

DAAS AD 2.23 ADDITIONAL INFORMATION:

- Presence of birds and animals in the aerodrome.
- Animal hazard scare at RWY THR 09.

DAAS AD 2.24 CHARTS RELATED TO AN AERODROME:

AD Chart - ICAO

AOC - ICAO RWY 27

IAC - ICAO VOR/DME RWY 09 CAT C

IAC - ICAO VOR/DME RWY 09 CAT A/B

IAC - ICAO VOR/DME RWY 27 CAT C

IAC - ICAO VOR/DME RWY 27 CAT A/B

VAC - ICAO

AD2 DAAS -AD

AD2 DAAS - AOC1

AD2 DAAS - IAC1

AD2 DAAS - IAC2

AD2 DAAS – IAC3

AD2 DAAS – IAC4

AD2 DAAS - VAC1