


AR 4° E 2019

Notes:

1. STARs RNAV RWY 23 not to be used when RADAR service unavailable.
2. After direct clearance to a waypoint, intercept and follow arrival to LASUL
3. For APPROACH TRANSITION from EVUGA see LDSP AD 2.24.12 IAC RNAV VISUAL RWY 23

5 10 NM



AIRAC AIP AMDT 004/2025

SPLIT/ Sveti Jeronim (LDSP)
SPLIT/ Saint Jerome (LDSP)

SAL 1Y NUPSO 3Y OKLAX 2Y
NUPSO 1X KENEM 2Y VELIT 2Y
SIPAL 2J RILIM 1Y VAPUP 1Y TORPO 1Y

RNAV RWY 23

LDSP RNAV STANDARD ARRIVAL RWY 23												
Proposed tabular description for navigation database coding												
Serial number	Route	Path descriptor	Waypoint name	Flyover	Course °M (°T)	Magnetic variation	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Remarks	NAV SPEC
010	SAL 1Y	IF	SAL	-	-	4°E	-	-	-	-	-	RNAV 1
020		TF	SP710	-	134° (138.5°T)	4°E	15.5	-	+FL160	-	-	
030		TF	SP709	-	135° (138.6°T)	4°E	14.4	-	+FL110	-	-	
040		TF	KEMIX	-	135° (138.8°T)	4°E	20.0	-	-	-250	-	
050		TF	SP701	-	110° (113.8°T)	4°E	11.0	-	-	-	-	
060		TF	LASUL	-	019° (022.9°T)	4°E	6.9	L	+4000	-	IAF/IF	
010	NUPSO 3Y	IF	NUPSO	-	-	4°E	-	-	+FL160	-	-	RNAV 1
020		TF	SP705	-	172° (176.4°T)	4°E	18.1	-	+7000	-	-	
030		TF	SP714	-	172° (176.4°T)	4°E	15.7	-	-	-	-	
040		TF	KEMIX	-	172° (176.4°T)	4°E	15.7	-	-	-250	-	
050		TF	SP701	-	110° (113.8°T)	4°E	11.0	-	-	-	-	
060		TF	LASUL	-	019° (022.9°T)	4°E	6.9	L	+4000	-	IAF/IF	
010	OKLAX 2Y	IF	OKLAX	-	-	4°E	-	-	-	-	-	RNAV 1
020		TF	SP704	-	149° (152.8°T)	4°E	19.0	-	+FL130	-250	-	
030		TF	SPL	-	149° (152.9°T)	4°E	6.0	-	+FL110	-	-	
040		TF	SP703	-	132° (136.2°T)	4°E	7.6	-	+6000	-	-	
050		TF	SP713	-	199° (203.1°T)	4°E	5.2	-	+4000	-	-	
060		TF	EVUGA	-	199° (203.0°T)	4°E	4.1	-	+4000	-240	IAF on ATC authorization only	
070		TF	SP702	-	199° (203.0°T)	4°E	4.7	-	-	-	-	
080		TF	SP701	-	290° (294.0°T)	4°E	7.0	-	-	-	-	
090		TF	LASUL	-	019° (022.9°T)	4°E	6.9	-	+4000	-	IAF/IF	

CHANGE: TMA classification vertical limits; Parachute activity zones; Notes: Editorial.

LDSP RNAV STANDARD ARRIVAL RWY 23												
Proposed tabular description for navigation database coding												
Serial number	Route	Path descriptor	Waypoint name	Flyover	Course °M (°T)	Magnetic variation	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Remarks	NAV SPEC
010	NUPSO 1X	IF	NUPSO	-	-	4°E	-	-	+FL160	-	-	RNAV 1
020		TF	OKLAX	-	149° (152.6°T)	4°E	18.0	-	-	-	-	
030		TF	SP704	-	149° (152.8°T)	4°E	19.0	-	+FL130	-250	-	
040		TF	SPL	-	149° (152.9°T)	4°E	6.0	-	+FL110	-	-	
050		TF	SP703	-	132° (136.2°T)	4°E	7.6	-	+6000	-	-	
060		TF	SP713	-	199° (203.1°T)	4°E	5.2	-	+4000	-	-	
070		TF	EVUGA	-	199° (203.0°T)	4°E	4.1	-	+4000	-240	IAF on ATC authorization only	
080		TF	SP702	-	199° (203.0°T)	4°E	4.7	-	-	-	-	
090		TF	SP701	-	290° (294.0°T)	4°E	7.0	-	-	-	-	
100		TF	LASUL	-	019° (022.9°T)	4°E	6.9	-	+4000	-	IAF/IF	
010	KENEM 2Y	IF	KENEM	-	-	4°E	-	-	-	-	-	RNAV 1
020		TF	SP706	-	235° (239.1°T)	4°E	11.2	-	+8500	-250	-	
030		TF	SP703	-	235° (239.0°T)	4°E	15.4	-	+6000	-	-	
040		TF	SP713	-	199° (203.1°T)	4°E	5.2	-	+4000	-	-	
050		TF	EVUGA	-	199° (203.0°T)	4°E	4.1	-	+4000	-240	IAF on ATC authorization only	
060		TF	SP702	-	199° (203.0°T)	4°E	4.7	-	-	-	-	
070		TF	SP701	-	290° (294.0°T)	4°E	7.0	-	-	-	-	
080		TF	LASUL	-	019° (022.9°T)	4°E	6.9	-	+4000	-	IAF/IF	
010	VELIT 2Y	IF	VELIT	-	-	4°E	-	-	-	-	-	RNAV 1
020		TF	SP707	-	271° (275.2°T)	4°E	24.4	-	+8100	-250	-	
030		TF	SP703	-	271° (274.8°T)	4°E	13.1	-	+6000	-	-	
040		TF	SP713	-	199° (203.1°T)	4°E	5.2	-	+4000	-	-	
050		TF	EVUGA	-	199° (203.0°T)	4°E	4.1	-	+4000	-240	IAF on ATC authorization only	
060		TF	SP702	-	199° (203.0°T)	4°E	4.7	-	-	-	-	
070		TF	SP701	-	290° (294.0°T)	4°E	7.0	-	-	-	-	
080		TF	LASUL	-	019° (022.9°T)	4°E	6.9	-	+4000	-	IAF/IF	

CHANGE: TMA classification vertical limits; Parachute activity zones; Notes; Editorial.

SPLIT/ Sveti Jeronim (LDSP)
SPLIT/ Saint Jerome (LDSP)

SAL 1Y NUPSO 3Y OKLAX 2Y
NUPSO 1X KENEM 2Y VELIT 2Y
SIPAL 2J RILIM 1Y VAPUP 1Y TORPO 1Y

RNAV RWY 23

LDSP RNAV STANDARD ARRIVAL RWY 23												
Proposed tabular description for navigation database coding												
Serial number	Route	Path descriptor	Waypoint name	Flyover	Course °M (°T)	Magnetic variation	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Remarks	NAV SPEC
010	SIPAL 2J	IF	SIPAL	-	-	4°E	-	-	-	-	-	RNAV 1
020		TF	SP708	-	296° (299.7°T)	4°E	19.6	-	+8000	-250	-	
030		TF	SP703	-	295° (299.5°T)	4°E	13.1	-	+6000	-	-	
040		TF	SP713	-	199° (203.1°T)	4°E	5.2	L	+4000	-	-	
050		TF	EVUGA	-	199° (203.0°T)	4°E	4.1	-	+4000	-240	IAF on ATC authorization only	
060		TF	SP702	-	199° (203.0°T)	4°E	4.7	-	-	-	-	
070		TF	SP701	-	290° (294.0°T)	4°E	7.0	-	-	-	-	
080		TF	LASUL	-	019° (022.9°T)	4°E	6.9	-	+4000	-	IAF/IF	
010	RILIM 1Y	IF	RILIM	-	-	4°E	-	-	-	-	-	RNAV 1
020		TF	SP712	-	321° (324.7°T)	4°E	32.1	-	-	-250	-	
030		TF	SP702	-	320° (324.4°T)	4°E	7.0	-	-	-	-	
040		TF	SP701	-	290° (294.0°T)	4°E	7.0	-	-	-	-	
050		TF	LASUL	-	019° (022.9°T)	4°E	6.9	-	+4000	-	IAF/IF	
010	VAPUP 1Y	IF	VAPUP	-	-	4°E	-	-	-	-	-	RNAV 1
020		TF	KEMIX	-	060° (063.8°T)	4°E	35.1	-	-	-250	-	
030		TF	SP701	-	110° (113.8°T)	4°E	11.0	-	-	-	-	
040		TF	LASUL	-	019° (022.9°T)	4°E	6.9	L	+4000	-	IAF/IF	
010	TORPO 1Y	IF	TORPO	-	-	4°E	-	-	-	-	-	RNAV 1
020		TF	KEMIX	-	098° (102.5°T)	4°E	67.3	-	-	-250	-	
030		TF	SP701	-	110° (113.8°T)	4°E	11.0	-	-	-	-	
040		TF	LASUL	-	019° (022.9°T)	4°E	6.9	L	+4000	-	IAF/IF	
IAF on ATC authorization only: For APPROACH TRANSITION from EVUGA see LDSP AD 2.24.12 IAC RNAV VISUAL RWY 23												

CHANGE: TMA classification vertical limits; Parachute activity zones; Notes: Editorial.

SAL 1Y NUPSO 3Y OKLAX 2Y
NUPSO 1X KENEM 2Y VELIT 2Y
SIPAL 2J RILIM 1Y VAPUP 1Y TORPO 1Y

SPLIT/ Sveti Jeronim (LDSP)
SPLIT/ Saint Jerome (LDSP)
RNAV RWY 23

RNAV HOLDING tabular description																																																																																														
Waypoint name	Path descriptor	Inbound course °M (°T)	Leg time/ distance (NM)	Turn direction	Minimum altitude (ft)	Maximum altitude (ft)	Speed limit MAX IAS (kt)	Magnetic variation	Remarks	NAV SPEC																																																																																				
LASUL	HM	019° (022.9°T)	1 MIN / -	R	4000	-	190	4°E	-	RNAV 1																																																																																				
<table><tr><th colspan="3">Waypoint coordinates</th></tr><tr><th>Waypoint name</th><th>WGS-84 latitude</th><th>WGS-84 longitude</th></tr><tr><td>SPL</td><td>432947.69N</td><td>0161817.00E</td></tr><tr><td>SAL</td><td>435616.30N</td><td>0151005.20E</td></tr><tr><td>EVUGA</td><td>431541.3N</td><td>0162030.1E</td></tr><tr><td>KEMIX</td><td>431842.4N</td><td>0155526.9E</td></tr><tr><td>KENEM</td><td>433800N</td><td>0165648E</td></tr><tr><td>LASUL</td><td>432035.0N</td><td>0161255.7E</td></tr><tr><td>NUPSO</td><td>440803N</td><td>0155108E</td></tr><tr><td>OKLAX</td><td>435202.8N</td><td>0160234.4E</td></tr><tr><td>RILIM</td><td>423931N</td><td>0164856E</td></tr><tr><td>SIPAL</td><td>430812N</td><td>0170425E</td></tr><tr><td>TORPO</td><td>433351N</td><td>0142529E</td></tr><tr><td>VAPUP</td><td>430321N</td><td>0151220E</td></tr><tr><td>VELIT</td><td>432106N</td><td>0171638E</td></tr><tr><td>SP701</td><td>431414.9N</td><td>0160915.7E</td></tr><tr><td>SP702</td><td>431124.1N</td><td>0161800.7E</td></tr><tr><td>SP703</td><td>432417.5N</td><td>0162531.0E</td></tr><tr><td>SP704</td><td>433507.8N</td><td>0161432.2E</td></tr><tr><td>SP705</td><td>434957.1N</td><td>0155244.1E</td></tr><tr><td>SP706</td><td>433214.9N</td><td>0164336.2E</td></tr><tr><td>SP707</td><td>432313.3N</td><td>0164322.8E</td></tr><tr><td>SP708</td><td>431752.7N</td><td>0164107.4E</td></tr><tr><td>SP709</td><td>433347.1N</td><td>0153724.0E</td></tr><tr><td>SP710</td><td>434437.7N</td><td>0152417.3E</td></tr><tr><td>SP712</td><td>430542.5N</td><td>0162334.9E</td></tr><tr><td>SP713</td><td>431928.5N</td><td>0162242.3E</td></tr><tr><td>SP714</td><td>433419.8N</td><td>0155405.9E</td></tr></table>											Waypoint coordinates			Waypoint name	WGS-84 latitude	WGS-84 longitude	SPL	432947.69N	0161817.00E	SAL	435616.30N	0151005.20E	EVUGA	431541.3N	0162030.1E	KEMIX	431842.4N	0155526.9E	KENEM	433800N	0165648E	LASUL	432035.0N	0161255.7E	NUPSO	440803N	0155108E	OKLAX	435202.8N	0160234.4E	RILIM	423931N	0164856E	SIPAL	430812N	0170425E	TORPO	433351N	0142529E	VAPUP	430321N	0151220E	VELIT	432106N	0171638E	SP701	431414.9N	0160915.7E	SP702	431124.1N	0161800.7E	SP703	432417.5N	0162531.0E	SP704	433507.8N	0161432.2E	SP705	434957.1N	0155244.1E	SP706	433214.9N	0164336.2E	SP707	432313.3N	0164322.8E	SP708	431752.7N	0164107.4E	SP709	433347.1N	0153724.0E	SP710	434437.7N	0152417.3E	SP712	430542.5N	0162334.9E	SP713	431928.5N	0162242.3E	SP714	433419.8N	0155405.9E
											Waypoint coordinates																																																																																			
											Waypoint name	WGS-84 latitude	WGS-84 longitude																																																																																	
											SPL	432947.69N	0161817.00E																																																																																	
											SAL	435616.30N	0151005.20E																																																																																	
											EVUGA	431541.3N	0162030.1E																																																																																	
											KEMIX	431842.4N	0155526.9E																																																																																	
											KENEM	433800N	0165648E																																																																																	
											LASUL	432035.0N	0161255.7E																																																																																	
											NUPSO	440803N	0155108E																																																																																	
											OKLAX	435202.8N	0160234.4E																																																																																	
											RILIM	423931N	0164856E																																																																																	
											SIPAL	430812N	0170425E																																																																																	
											TORPO	433351N	0142529E																																																																																	
											VAPUP	430321N	0151220E																																																																																	
											VELIT	432106N	0171638E																																																																																	
											SP701	431414.9N	0160915.7E																																																																																	
											SP702	431124.1N	0161800.7E																																																																																	
											SP703	432417.5N	0162531.0E																																																																																	
											SP704	433507.8N	0161432.2E																																																																																	
											SP705	434957.1N	0155244.1E																																																																																	
											SP706	433214.9N	0164336.2E																																																																																	
											SP707	432313.3N	0164322.8E																																																																																	
											SP708	431752.7N	0164107.4E																																																																																	
											SP709	433347.1N	0153724.0E																																																																																	
SP710	434437.7N	0152417.3E																																																																																												
SP712	430542.5N	0162334.9E																																																																																												
SP713	431928.5N	0162242.3E																																																																																												
SP714	433419.8N	0155405.9E																																																																																												

CHANGE: TMA classification vertical limits; Parachute activity zones; Notes; Editorial.

OVA STRANICA JE NAMJERNO OSTAVLJENA PRAZNA
THIS PAGE INTENTIONALLY LEFT BLANK