

FRANKFURT MAIN  
GLS Z CAT I & II RWY 25L

INSTRUMENT APPROACH PROCEDURE  
TABULAR DESCRIPTION

| Procedure Remark:           |                 |                              |                              |                                |                            |                    |                      |                    |                        |                                    |                     |                |
|-----------------------------|-----------------|------------------------------|------------------------------|--------------------------------|----------------------------|--------------------|----------------------|--------------------|------------------------|------------------------------------|---------------------|----------------|
| Approach Segment            | Path Terminator | Waypoint Identifier          | Coordinates                  | Fly Over                       | (True Track°) / Mag Track° | Distance (NM)      | Turn Direction       | Altitude (ft) / FL | Speed Limit / (kt IAS) | Vertical Path Angle (°) / TCH (ft) | NAV - Specification | Remarks        |
| Initial APCH from CHA       | IF              | CHA                          | N 49 55 15.97 E 009 02 23.34 | N                              | -                          | -                  | -                    | A5000+             | -                      | -                                  | RNP APCH            | -              |
|                             | TF              | DF682                        | N 49 56 59.72 E 009 09 44.59 | N                              | (T069.9) 067               | 5.1                | -                    | A5000+             | -                      | -                                  | RNP APCH            | -              |
|                             | TF              | DF681                        | N 50 06 28.56 E 009 04 23.13 | N                              | (T340.0) 337               | 10.1               | -                    | A4000+             | -                      | -                                  | RNP APCH            | -              |
|                             | TF              | DF680                        | N 50 07 23.66 E 008 56 16.57 | N                              | (T280.0) 277               | 5.3                | -                    | A4000+             | 220-                   | -                                  | RNP APCH            | -              |
| Initial APCH from DF626     | IF              | DF626                        | N 50 14 04.23 E 009 25 02.97 | N                              | -                          | -                  | -                    | A4000+             | -                      | -                                  | RNP 1               | -              |
|                             | TF              | DF625                        | N 50 12 43.20 E 009 19 10.62 | N                              | (T250.3) 247               | 4.0                | -                    | -                  | -                      | -                                  | RNP 1               | -              |
|                             | TF              | DF624                        | N 50 11 21.87 E 009 13 18.60 | N                              | (T250.2) 247               | 4.0                | -                    | -                  | -                      | -                                  | RNP 1               | -              |
|                             | TF              | DF623                        | N 50 10 00.24 E 009 07 26.93 | N                              | (T250.2) 247               | 4.0                | -                    | -                  | -                      | -                                  | RNP APCH            | -              |
|                             | TF              | DF622                        | N 50 08 38.31 E 009 01 35.59 | N                              | (T250.1) 247               | 4.0                | -                    | -                  | -                      | -                                  | RNP APCH            | -              |
| Initial APCH from MEFTO     | TF              | DF680                        | N 50 07 23.66 E 008 56 16.57 | N                              | (T250.0) 247               | 3.6                | -                    | A4000+             | 220-                   | -                                  | RNP APCH            | -              |
|                             | IF              | MEFTO                        | N 50 16 34.59 E 008 50 55.05 | N                              | -                          | -                  | -                    | A5000+             | -                      | -                                  | RNP APCH            | -              |
|                             | TF              | DF684                        | N 50 18 10.49 E 008 57 45.88 | N                              | (T069.9) 067               | 4.7                | -                    | A5000+             | -                      | -                                  | RNP APCH            | -              |
|                             | TF              | DF683                        | N 50 11 27.13 E 009 01 34.22 | N                              | (T160.0) 157               | 7.2                | -                    | A4000+             | -                      | -                                  | RNP APCH            | -              |
| APCH                        | TF              | DF680                        | N 50 07 23.66 E 008 56 16.57 | N                              | (T220.0) 217               | 5.3                | -                    | A4000+             | 220-                   | -                                  | RNP APCH            | -              |
|                             | TF              | DF620                        | N 50 06 17.77 E 008 51 36.44 | N                              | (T249.9) 247               | 3.2                | -                    | A4000+             | -                      | -                                  | RNP APCH            | FAF for coding |
| Missed APCH                 | TF              | RW25L                        | N 50 02 24.19 E 008 35 11.51 | Y                              | (T249.9) 246               | 11.3               | -                    | -                  | -                      | -3.0/50                            | RNP APCH            | -              |
|                             | DF              | DF290                        | N 50 01 13.69 E 008 30 16.69 | Y                              | -                          | -                  | -                    | -                  | -                      | -                                  | RNP APCH            | -              |
|                             | DF              | DF685                        | N 49 58 07.58 E 008 21 57.70 | N                              | -                          | -                  | -                    | -                  | -                      | -                                  | RNP APCH            | -              |
|                             | CA              | -                            | -                            | -                              | (T240.0) 237               | -                  | -                    | A5000+             | 220-                   | -                                  | RNP APCH            | -              |
| DF                          | CHA             | N 49 55 15.97 E 009 02 23.34 | N                            | -                              | -                          | L                  | @A5000               | 250-               | -                      | RNP 1                              | -                   |                |
| RNAV HOLDING IDENTIFICATION |                 |                              |                              |                                |                            |                    |                      |                    |                        |                                    |                     |                |
| Path Terminator             | Holding Fix     | Coordinates                  | (True Track°) / Mag Track°   | Time (MIN) / Distance outbound | Turn Direction             | Altitude (ft) / FL | Speed Limit (kt IAS) | Remarks            |                        |                                    |                     |                |
| HM                          | CHA             | N 49 55 15.97 E 009 02 23.34 | (T286.5) 283                 | 1                              | R                          | FL100- A5000+      | 230-                 | -                  |                        |                                    |                     |                |
| HM                          | MEFTO           | N 50 16 34.59 E 008 50 55.05 | (T069.6) 066                 | 1                              | L                          | A5000+             | 230-                 | -                  |                        |                                    |                     |                |