

**STANDARD ARRIVAL CHART -
INSTRUMENT (STAR) - ICAO**

**JEDDAH/King Abdulaziz Intl (OEJN)
RNAV RWY 34L**

VEMEM 1A MISAM 1A MUVOL 1A NOMDA 1A BOSUT 2L EGMEG 2L
IMDAP 2L ULULU 2L VEMEM 2L MISAM 2L MUVOL 2L NOMDA 2L

TABULAR DESCRIPTION

RNAV RWY 34L											
Serial Number	Path Descriptor	Waypoint Identifier	Fly-Over	Course M°(T°)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	VPA/TCH (°/ft)	Navigation Specification
MISAM 2L ARRIVAL (Use on ATC instruction only)											
010	IF	MISAM	-	-	-	-	-	-	-	-	RNAV 1
020	TF	RABEP	-	253(256.7)	-3.8	5.2	R	@FL150	@230	-	RNAV 1
030	TF	JN797	-	357(001.2)	-3.8	6.1	-	-	-	-	RNAV 1
040	TF	JN799	-	344(347.4)	-3.8	6.0	-	-	-	-	RNAV 1
050	TF	RABTU	-	330(333.6)	-3.8	6.0	L	@FL150	@230	-	RNAV 1
060	TF	IMDAP	-	233(236.7)	-3.8	25.0	-	@FL150	-	-	RNAV 1
070	TF	OBTUG	-	241(244.5)	-3.8	17.3	-	+13000	@210	-	RNAV 1
080	TF	TOTNU	-	225 (229.0)	-3.8	14.0	-	-	-	-	RNAV 1
090	TF	JN818	-	156(159.8)	-3.8	9.2	-	-	-	-	RNAV 1
100	TF	GEVUS	-	156(159.7)	-3.8	6.0	-	+10000	-	-	RNAV 1
110	TF	JN908	-	156(159.7)	-3.8	6.0	-	-	-	-	RNAV 1
120	TF	JN906	-	156(159.7)	-3.8	6.0	L	-	-	-	RNAV 1
130	TF	ITUXI	-	066(069.7)	-3.8	6.0	L	+5000	-	-	RNAV 1
140	TF	JN812	-	336(339.7)	-3.8	6.0	-	-	-	-	RNAV 1
150	TF	VEDIR	-	336(339.7)	-3.8	6.0	-	@3100	-	-	RNAV 1
MUVOL 2L ARRIVAL (Use on ATC instruction only)											
010	IF	MUVOL	-	-	-3.8	-	-	-	-	-	RNAV 1
020	TF	ALKEV	-	122(125.4)	-3.8	9.1	-	-	-	-	RNAV 1
030	TF	KAVOD	-	124(127.6)	-3.8	17.3	R	+FL170	@250	-	RNAV 1
040	TF	JN792	-	207(210.6)	-3.8	6.0	-	-	-	-	RNAV 1
050	TF	JN788	-	193(196.8)	-3.8	6.0	-	-	-	-	RNAV 1
060	TF	JN786	-	179(183.1)	-3.8	6.0	L	+FL170	@250	-	RNAV 1
070	TF	GINKU	-	082(086.2)	-3.8	25.0	-	+13000	@210	-	RNAV 1
080	TF	TOTNU	-	156(159.4)	-3.8	7.2	-	-	-	-	RNAV 1
090	TF	JN818	-	156(159.8)	-3.8	9.2	-	-	-	-	RNAV 1
100	TF	GEVUS	-	156(159.7)	-3.8	6.0	-	+10000	-	-	RNAV 1
110	TF	JN908	-	156(159.7)	-3.8	6.0	-	-	-	-	RNAV 1
120	TF	JN906	-	156(159.7)	-3.8	6.0	L	-	-	-	RNAV 1
130	TF	ITUXI	-	066(069.7)	-3.8	6.0	L	+5000	-	-	RNAV 1
140	TF	JN812	-	336(339.8)	-3.8	6.0	-	-	-	-	RNAV 1
150	TF	VEDIR	-	336(339.8)	-3.8	6.0	-	@3100	-	-	RNAV 1
NOMDA 2L ARRIVAL (Use on ATC instruction only)											
010	IF	NOMDA	-	-	-	-	-	-	-	-	RNAV 1
020	TF	LOPAV	-	174(178.2)	-3.8	12.1	L	+FL170	@250	-	RNAV 1
030	TF	JN793	-	093(096.6)	-3.8	6.0	-	-	-	-	RNAV 1
040	TF	JN791	-	107(110.4)	-3.8	6.0	-	-	-	-	RNAV 1
050	TF	JN789	-	121(124.4)	-3.8	6.0	R	+FL170	@250	-	RNAV 1
060	TF	NIVGO	-	217(221.3)	-3.8	25.0	-	+FL150	-	-	RNAV 1
070	TF	GINKU	-	196(200.1)	-3.8	20.3	-	+13000	@210	-	RNAV 1
080	TF	TOTNU	-	156(159.4)	-3.8	7.2	-	-	-	-	RNAV 1
090	TF	JN818	-	156(159.8)	-3.8	9.2	-	-	-	-	RNAV 1
100	TF	GEVUS	-	156(159.7)	-3.8	6.0	-	+10000	-	-	RNAV 1
110	TF	JN908	-	156(159.7)	-3.8	6.0	-	-	-	-	RNAV 1
120	TF	JN906	-	156(159.7)	-3.8	6.0	L	-	-	-	RNAV 1
130	TF	ITUXI	-	066(069.7)	-3.8	6.0	L	+5000	-	-	RNAV 1
140	TF	JN812	-	336(339.7)	-3.8	6.0	-	-	-	-	RNAV 1
150	TF	VEDIR	-	336(339.7)	-3.8	6.0	-	@3100	-	-	RNAV 1

CHANGE: Table updated.

AMDT: Original, 10 AUG 23

ICAO PANS OPS