

TABULAR DESCRIPTION

RNP Z RWY 09 – Instrument Approach Procedure

Serial Number	Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	VPA (°)/TCH (m)	Navigation Specification
010	IF	ELPEZ	-	-	-	-	-	+5000	-	-	RNP APCH
020	TF	PQ512	-	176° (180.0°)	-	5.0	-	+5000	-	-	RNP APCH
030	TF	PQ513	-	266° (270.3°)	-	6.5	R	+4000	-200	-	RNP APCH
040	TF	PQ401	-	356° (000.3°)	-	5.0	R	+3000	-200	-	RNP APCH
050	TF	LEIRA	-	086° (090.2°)	-	3.5	R	+2230	-	-	RNP APCH
060	TF	RW09	Y	086° (090.3°)	-	6.7	-	@87 (3)	-160	-3.0/15	RNP APCH
070	CF	PQ523	-	195° (199.2°)	-	-	R	-	-160	-	RNP APCH
080	TF	NIORR	-	236° (240.0°)	-	3.0	-	-	-185	-	RNP APCH
090	HM	NIORR	Y	056° (060.0°)			L	+3000	-185		RNAV 1

Path Terminator	Waypoint Identifier	Inbound Course °M (°T)	Leg Distance (NM) (1)	Timing(min.)/ Waypoint Distance (NM) (2)	Turn Direction	Minimum Altitude (FT)	Maximum Altitude (FT)	Speed Limit (kt)	Magnetic Variation (°)	Navigation Specification
HM	ELPEZ	085°(089.0°)	3.1	- / 4.0	R	5000	-	-185	4.0	RNAV 1
HM	NIORR	056° (060.0°)	3.2	- / 4.0	L	3000	4000	-185	4.0	RNAV 1

- (1) RNAV system with holding functionality;
(2) RNAV system without holding functionality;
(3) THR Altitude plus TCH.

WAYPOINT LIST

Waypoint Identifier	Coordinates
PQ401	45°49'44.2" N 013°12'22.0" E
PQ512	45°44'42.2" N 013°21'34.6" E
PQ513	45°44'44.2" N 013°12'20.0" E
PQ523	45°44'42.8" N 013°29'06.7" E