

FRANKFURT MAIN
GLS Y CAT I & II RWY 07C

INSTRUMENT APPROACH PROCEDURE
TABULAR DESCRIPTION

Procedure Remark:												
Approach Segment	Path Terminator	Waypoint Identifier	Coordinates	Fly Over	(True Track°) Mag Track°	Distance (NM)	Turn Direction	Altitude (ft) / FL	Speed Limit / (kt IAS)	Vertical Path Angle (°) / TCH (ft)	NAV - Specification	Remarks
Initial APCH from DF554	IF	DF554	N 49 52 17.43 E 007 52 04.51	N	-	-	-	A4000+	-	-	RNP APCH	-
	TF	DF553	N 49 53 42.27 E 007 57 52.19	N	(T069.3) 066	4.0	-	A4000+	-	-	RNP APCH	-
	TF	DF552	N 49 55 06.80 E 008 03 40.18	N	(T069.4) 066	4.0	-	A4000+	-	-	RNP APCH	-
	TF	DF570	N 49 56 51.32 E 008 10 55.53	N	(T069.6) 066	5.0	-	A4000+	220-	-	RNP APCH	-
Initial APCH from FKS	IF	FKS	N 49 47 27.50 E 008 32 32.50	N	-	-	-	A5000+	-	-	RNP APCH	-
	TF	DF572	N 49 47 25.07 E 008 08 50.59	N	(T270.0) 267	15.4	-	A5000+	-	-	RNP APCH	-
	TF	DF571	N 49 52 45.55 E 008 05 43.79	N	(T339.4) 336	5.7	-	A4000+	-	-	RNP APCH	-
	TF	DF570	N 49 56 51.32 E 008 10 55.53	N	(T039.3) 036	5.3	-	A4000+	220-	-	RNP APCH	-
APCH	TF	DF550	N 49 58 13.87 E 008 16 35.77	N	(T069.4) 066	3.9	-	A4000+	-	-	RNP APCH	FAF for coding
	TF	RW07C	N 50 01 57.42 E 008 32 04.67	Y	(T069.4) 066	10.7	-	-	-	-3.2/50	RNP APCH	-
Missed APCH	DF	DF575	N 50 05 49.08 E 008 48 19.01	N	-	-	-	-	220-	-	RNP APCH	-
	CA	-	-	-	(T069.8) 066	-	-	A5000+	220-	-	RNP APCH	-
	DF	FKS	N 49 47 27.50 E 008 32 32.50	N	-	-	R	@A5000	250-	-	RNP 1	-
RNAV HOLDING IDENTIFICATION												
Path Terminator	Holding Fix	Coordinates	(True Track°) Mag Track°	Time (MIN) / Distance outbound	Turn Direction	Altitude (ft) / FL	Speed Limit (kt IAS)	Remarks				
HM	FKS	N 49 47 27.50 E 008 32 32.50	(T247.0) 244	1	R	A5000+	230-	-				