

STAR RNP

ROBET 3R

Path Terminator	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
IF	ROBET	-	-	-	-	-	-	-	RNP1
TF	LAMUP	-	163 (166.4)	-	8.1	-	+5000	-	RNP1

ROBET 2T (ATC Discretion)

Path Terminator	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
IF	ROBET	-	-	-	-	-	-	-	RNP1
TF	CG731	-	113 (116.2)	-	12.6	-	+5000	-	RNP1
TF	CG732	-	163 (166.4)	-	5.3	-	+4000	-230	RNP1

ROBET 2Z

Path Terminator	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
IF	ROBET	-	-	-	-	-	-	-	RNP1
TF	CG758	-	229 (232.3)	-	19.8	-	+4000	-210	RNP1
TF	CG754	-	163 (166.2)	-	5.3	-	+4000	-210	RNP1
TF	KAPPE	-	073 (076.2)	-	5.0	L	+4000	-200	RNP1

RUBRI 2Z

Path Terminator	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
IF	RUBRI	-	-	-	-	-	-	-	RNP1
TF	CG753	-	281 (284.1)	-	18.6	-	+5000	-210	RNP1
TF	CG754	-	343 (346.2)	-	5.3	-	+4000	-210	RNP1
TF	KAPPE	-	073 (076.2)	-	5.0	R	+4000	-200	RNP1

HOLDING RNP1

Path Terminator	Waypoint Identifier	Inbound Course °M (°T)	Leg Distance (NM) (1)	Timing(min.)/ Waypoint Distance (NM) (2)	Turn Direction	Minimum Altitude (FT)	Maximum Altitude	Speed Limit (kt)	Magnetic Variation (°)	Navigation Specification
HM	LAMUP	073 (076.7)	4.2	-/5.8	L	+5000 (3)	-	-230	3.0	RNP1
HM	KAPPE	073 (076.2)	3.7	1/-	R	+5000	6000	-200	3.0	RNP1

(1) RNAV system with holding functionality

(2) RNAV system without holding functionality

(3) MHA 4000FT for Missed Approach

WAYPOINT LIST

Waypoint Identifier	Coordinates
CG731	36°57'15.2"N 012°12'40.0"E
CG732	36°52'06.0"N 012°14'11.8"E
CG753	36°40'23.6"N 011°42'07.6"E
CG754	36°45'32.7"N 011°40'33.5"E
CG758	36°50'41.7"N 011°38'59.3"E