

## STAR RNAV1 RWY10 DESCRIPTION

## EGHIN 1P

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
IF	EGHIN	-	-	-	-	-	+FL110	-	RNAV1
TF	MJ408	-	053° (055.8°)	-	6.0	-	+FL100	-	RNAV1
TF	MJ401	-	053° (055.8°)	-	12.1	-	+5000	-210	RNAV1
TF	ECLOZ	-	012° (014.0°)	-	4.0	-	+5000	-200	RNAV1

## GOLAS 2P

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
IF	GOLAS	-	-	-	-	-	+FL110	-	RNAV1
TF	RIVAP	-	226° (228.2°)	-	15.5	-	+FL90	-	RNAV1
TF	GIKUT	-	226° (228.9°)	-	10.2	-	+5000	-	RNAV1
TF	IXITO	-	259° (261.9°)	-	16.0	-	+5000	-	RNAV1
TF	MJ401	-	296° (297.9°)	-	11.6	-	+5000	-210	RNAV1
TF	ECLOZ	-	012° (015.0°)	-	4.0	-	+5000	-200	RNAV1

## IDONA 2P

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
IF	IDONA	-	-	-	-	-	+FL110	-	RNAV1
TF	IXITO	-	286° (288.1°)	-	28.6	-	+5000	-	RNAV1
TF	MJ401	-	296° (297.9°)	-	11.6	-	+5000	-210	RNAV1
TF	ECLOZ	-	012° (015.0°)	-	4.0	-	+5000	-200	RNAV1

## KALMO 2P

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
IF	KALMO	-	-	-	-	-	-	-	RNAV1
TF	MJ409	-	239° (242.0°)	-	6.5	-	+FL110	-	RNAV1
TF	LULET	-	239° (242.0°)	-	7.0	-	+FL90	-	RNAV1
TF	GIKUT	-	244° (247.0°)	-	6.8	-	+5000	-	RNAV1
TF	IXITO	-	259° (261.9°)	-	16.0	-	+5000	-	RNAV1
TF	MJ401	-	296° (297.9°)	-	11.6	-	+5000	-210	RNAV1
TF	ECLOZ	-	012° (015.0°)	-	4.0	-	+5000	-200	RNAV1

**UNITA 2P**

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
IF	UNITA	-	-	-	-	-	+FL110	-	RNAV1
TF	MJ411	-	297° (299.2°)	-	6.0	-	+FL95	-	RNAV1
TF	MJ402	-	297° (299.2°)	-	8.7	-	+5000	-	RNAV1
TF	MJ401	-	321° (323.9°)	-	12.0	-	+5000	-210	RNAV1
TF	ECLOZ	-	012° (015.0°)	-	4.0	-	+5000	-200	RNAV1

**VOG 2P**

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
IF	VOG	-	-	-	-	-	+FL110	-	RNAV1
TF	GEN	-	169° (171.6°)	-	32.8	-	+FL90	-	RNAV1
TF	SES	-	265° (267.7°)	-	11.1	R	+6000	-210	RNAV1
TF	MJ403	-	208° (210.3°)	-	10.4	-	+5000	-210	RNAV1
TF	ECLOZ	-	283° (285°)	-	5.0	-	+5000	-200	RNAV1

**TESTO 2P**

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
IF	TESTO	-	-	-	-	-	-	-	RNAV1
TF	MJ404	-	145° (147.8°)	-	5.0	-	+FL90	-	RNAV1
TF	SES	-	145° (147.8°)	-	7.8	-	+6000	-210	RNAV1
TF	MJ403	-	208° (210.3°)	-	10.4	-	+5000	-210	RNAV1
TF	ECLOZ	-	283° (285°)	-	5.0	-	+5000	-200	RNAV1

**IXITO 2P (RESERVED FOR MISSED APPROACH)**

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
IF	IXITO	-	-	-	-	-	-	-	RNAV1
TF	MJ401	-	296° (297.9°)	-	11.6	-	+4000	-210	RNAV1
TF	ECLOZ	-	012° (015.0°)	-	4.0	-	+4000	-200	RNAV1

**KALMO 2W (ATC DISCRETION)**

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
IF	KALMO	-	-	-	-	-	+FL110	-	RNAV1
TF	MJ406	-	283° (285.7°)	-	11.0	-	+FL90	-	RNAV1
TF	GEN	-	283° (285.5°)	-	11.9	-	+6000	-	RNAV1
TF	SES	-	265° (267.7°)	-	11.1	-	+6000	-210	RNAV1
TF	MJ403	-	208° (210.3°)	-	10.4	-	+5000	-210	RNAV1
TF	ECLOZ	-	283° (285°)	-	5.0	-	+5000	-200	RNAV1

**GOLAS 2W (ATC DISCRETION)**

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
IF	GOLAS	-	-	-	-	-	+FL110	-	RNAV1
TF	MJ407	-	263° (265.5°)	-	14.0	-	+FL90	-	RNAV1
TF	GEN	-	263° (265.2°)	-	9.1	-	+6000	-	RNAV1
TF	SES	-	265° (267.7°)	-	11.1	-	+6000	-210	RNAV1
TF	MJ403	-	208° (210.3°)	-	10.4	-	+5000	-210	RNAV1
TF	ECLOZ	-	283° (285°)	-	5.0	-	+5000	-200	RNAV1

**HOLDING RNAV 1**

Path Terminator	Waypoint Identifier	Inbound Course °M (°T)	Timing (min.)/ Waypoint Distance (NM)	Turn Direction	Minimum Altitude (FT)	Maximum Altitude (FL)	Speed Limit (kt)	Magnetic Variation (°)	Navigation Specification
HM	ECLOZ	012° (015.0)	-/4.3	R	+5000	-	-200	3.0 E	RNAV1
HM	IXITO	226° (229°)	-/4.3	L	+3000	-	-210	3.0 E	RNAV1

**WAYPOINT LIST**

Waypoint Identifier	Coordinates
MJ401	44°13'31.6"N 008°33'58.3"E
MJ402	44°03'51.4"N 008°43'43.6"E
MJ403	44°16'05.6"N 008°42'07.9"E
MJ404	44°31'36.1"N 008°43'39.6"E
MJ406	44°22'16.9"N 009°20'53.7"E
MJ407	44°26'13.3"N 009°17'33.9"E
MJ408	44°06'44.7"N 008°20'07.8"E
MJ409	44°16'15.9"N 009°27'38.7"E
MJ411	43°59'36.4"N 008°54'15.4"E