

ERFURT-WEIMAR
RWY 27

INSTRUMENT APPROACH PROCEDURE
TABULAR DESCRIPTION
RNP

Approach Segment	Recommended Path Terminator	Way-point Identifier	Coordinates	Fly Over	(True Track°) Mag Track°	Distance (NM)	Turn Direction	Altitude (ft) / Flight Level	Speed Limit (kt IAS)	Vertical Path Angle (°) / TCH (ft)	NAV Specification	Remarks
Initial APCH from DE437	IF	DE437	N 50 56 47.70 E 011 21 52.18	N	-	-	-	A4000+	-	-	RNP APCH	-
	TF	ENORO	N 50 57 32.44 E 011 12 52.57	N	(T 277.5) 275	5.7	-	A4000+	-	-	RNP APCH	-
Initial APCH from ERF	IF	ERF	N 50 57 03.13 E 011 14 12.07	N	-	-	-	A5000+	-	-	RNP APCH	-
	TF	DE427	N 51 02 22.80 E 011 15 18.72	N	(T 007.5) 005	5.4	-	-	220-	-	RNP APCH	-
	TF	DE428	N 51 01 44.96 E 011 22 54.55	N	(T 097.5) 095	4.8	-	A5000+	-	-	RNP APCH	-
	TF	DE437	N 50 56 47.70 E 011 21 52.18	N	(T 187.6) 185	5.0	-	A4000+	-	-	RNP APCH	-
	TF	ENORO	N 50 57 32.44 E 011 12 52.57	N	(T 277.5) 275	5.7	-	A4000+	-	-	RNP APCH	-
APCH	TF	RW27	N 50 58 42.89 E 010 58 24.57	Y	(T 277.4) 274	9.2	-	-	-	-3.0/50	RNP APCH	-
Missed APCH	VA	-	-	-	(T 277.2) 274	-	-	A1500+	-	-	RNP APCH	-
	DF	DE491	N 50 59 13.78 E 010 51 56.34	Y	-	-	-	-	-	-	RNP APCH	-
	DF	DE285	N 51 06 46.83 E 010 54 31.33	N	-	-	R	-	230-	-	RNP APCH	-
	TF	ERF	N 50 57 03.13 E 011 14 12.07	N	(T 128.0) 125	15.8	-	@A5000	-	-	RNP APCH	-

RNAV HOLDING IDENTIFICATION								
Recommended Path Terminator	Holding Fix	Coordinates	Inbound (True Track°) Mag Track°	Max Speed (kt IAS)	Altitude (ft) / Flight Level	Time (MIN) / Distance outbound	Turn Direction	Remarks
HM	ERF	N 50 57 03.13 E 011 14 12.07	(T 007.2) 004	230-	A5000+	1	L	-