




IN CASE OF COMMUNICATION FAILURE

Set transponder to 7600.

For at least 2 min after setting code 7600 maintain last assigned level, continue on assigned JET DEPARTURE or HDG.

After 2 min after setting code 7600:

1. Climb or descend to maintain FL100 on course CMP
2. Over CMP commence a published instrument approach:
 - a) For RWY 11 - TACAN RWY 11 procedure
 - b) For RWY 29 - TACAN RWY 29 or ILS y RWY 29.

JET DEPARTURE

POZNAŃ / Krzesiny
RWY 11

BESTO 1E DEP

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE RESTRICTION	TACAN TKS RDL MAG°/ DISTANCE NM	WGS-84 COORDINATES
001	CF	KS15	Y	113 (118.00)	15.00	<u>4000 FT</u>	113/15.68	52 12 33.840 N 017 20 30.953 E
002	TF	BADUP	-	157 (162.06)	9.49	<u>FL90</u>	129/23.37	52 03 33.000 N 017 25 16.000 E
003	TF	BESTO	Y	177 (182.38)	19.79	<u>FL180</u>	151/39.61	51 43 48.000 N 017 23 56.000 E

EKTIZ 1E DEP

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE RESTRICTION	TACAN TKS RDL MAG°/ DISTANCE NM	WGS-84 COORDINATES
001	CF	KS15	Y	113 (118.00)	15.00	<u>4000 FT</u>	113/15.68	52 12 33.840 N 017 20 30.953 E
002	TF	OLDOX	Y	056 (061.28)	12.39	<u>FL100</u>	88/24.55	52 18 32.000 N 017 38 11.000 E
003	TF	EKTIZ	Y	059 (064.07)	14.89	<u>FL180</u>	077/38.30	52 25 04.077 N 018 00 00.000 E

OLDOX 1E DEP

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE RESTRICTION	TACAN TKS RDL MAG°/ DISTANCE NM	WGS-84 COORDINATES
001	CF	KS15	Y	113 (118.00)	15.00	<u>4000 FT</u>	113/15.68	52 12 33.840 N 017 20 30.953 E
002	TF	OLDOX	Y	056 (061.28)	12.39	<u>FL100</u>	88/24.55	52 18 32.000 N 017 38 11.000 E

TITQE 1E DEP

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE RESTRICTION	TACAN TKS RDL MAG°/ DISTANCE NM	WGS-84 COORDINATES
001	TF	KS15	Y	113 (118.00)	15.00	<u>4000 FT</u>	113/15.68	52 12 33.840 N 017 20 30.953 E
002	TF	YUMME	-	234 (238.92)	22.17	<u>FL140</u>	190/19.52	52 01 12.000 N 016 49 39.000 E
003	TF	TITQE	Y	267 (272.00)	19.45	<u>FL180</u>	229/30.50	52 01 57.000 N 016 18 11.000 E

UVCOV 1E DEP

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE RESTRICTION	TACAN TKS RDL MAG°/ DISTANCE NM	WGS-84 COORDINATES
001	CF	KS15	Y	113 (118.00)	15.00	4000 FT	113/15.68	52 12 33.840 N 017 20 30.953 E
002	DF	PUMQA	Y	-	-	FL140	322/10.63	52 28 56.000 N 016 48 41.000 E
003	TF	UVCOV	Y	337 (341.82)	42.95	FL180	334/53.47	53 09 43.000 N 016 26 46.000 E