

EFPO RNP RWY 12										
PROC ID NAV SPEC	SEQ NR	P/T	WPT			MAG	GEO TR	DIST NM	Constraints	
			ID	Type	Flyover				LVL	Speed
H12 VANOT RNP APCH	005	IF	VANOT	IAF	-	206°	215.6°T	5.0	A2200+	K240-
	010	TF	REPLU	IF	-				A2200+	
	020	TF	XENPO	FAF	-	116°	125.5°T	4.9	A2000+	
	030	TF	RW12	MAPt	Y	116°	125.6°T	5.1		
	040	TF	ULVIS	MAHF	Y	116°	125.8°T	11.0	A2200	

EFPO RNP RWY 12										
PROC ID NAV SPEC	SEQ NR	P/T	WPT			MAG	GEO TR	DIST NM	Constraints	
			ID	Type	Flyover				LVL	Speed
H12 REPLU RNP APCH	010	IF	REPLU	IAF/IF	-	116°	125.5°T	4.9	A2200+	
	020	TF	XENPO	FAF	-				A2000+	
	030	TF	RW12	MAPt	Y	116°	125.6°T	5.1		
	040	TF	ULVIS	MAHF	Y	116°	125.8°T	11.0	A2200	

EFPO RNP RWY 12										
PROC ID NAV SPEC	SEQ NR	P/T	WPT			MAG	GEO TR	DIST NM	Constraints	
			ID	Type	Flyover				LVL	Speed
H12 MABOM RNP APCH	005	IF	MABOM	IAF	-	026°	035.4°T	5.0	A2200+	K240-
	010	TF	REPLU	IF	-				A2200+	
	020	TF	XENPO	FAF	-	116°	125.5°T	4.9	A2000+	
	030	TF	RW12	MAPt	Y	116°	125.6°T	5.1		
	040	TF	ULVIS	MAHF	Y	116°	125.8°T	11.0	A2200	

RNAV Holdings							
ID	INBD TR	INBD MAG	Turn Direction	Speed	MNM HLDG LVL	TIME	DIST NM
REPLU	125.5°T	116°	Right	K230-	A2200	1 MIN	-
ULVIS	035.9°T	026°	Right	K230-	A2200	1 MIN	-

WPT COORD
SEE PAGE EFPO AD 2.15 - 1

FINAL APPROACH PARAMETERS			
LNAV Gradient	Baro-VNAV		TCH
	VPA	MNM T	
6.12 % (3.50°)	3.50°	-30°C	50 FT

SBAS DATA	
Approach ID	E12A
Service Provider	EGNOS
CRC remainder	45 D6 E9 8F
Channel number	74063
Data Block	SEE EFPO AD 2.15 - 3