



EXPECT VECTORS FOR FINAL APPROACH ON TITQE 1Y, UVCOV 1Y, ODMIQ 1Y, BESTO 1Y.

JET ARRIVAL

POZNAŃ / Krzesiny
RWY 11

BESTO 1Y ARR

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/ TRACK °M (°T)	DISTANCE (NM)	ALTITUDE RESTRICTION	TACAN TKS RDL MAG°/DISTANCE NM	WGS-84 COORDINATES
001	IF	BESTO	-	-	FL190	151/39.6	51 43 48.000 N 017 23 56.000 E
002	TF	CMP	309 (313.60)	35.00	FL110	212/15.0	52 08 00.000 N 016 43 09.000 E
003	TF	ETABI	308 (313.40)	14.00	4000 FT	258/19.4	52 17 38.000 N 016 26 38.000 E
004	TF	KY15	024 (029.40)	10.30	2800 FT	290/15.7	52 26 35.745 N 016 34 51.950 E
005	TF	KY10	110 (114.80)	5.00	2800 FT	290/10.7	52 24 29.952 N 016 42 16.720 E
006	TF	FAF (TACAN RWY 11)	110 (115.00)	4.37	MANDATORY 2100 FT	290/6.3	52 22 39.589 N 016 48 44.559 E

EKTIZ 1Y ARR

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/ TRACK °M (°T)	DISTANCE (NM)	ALTITUDE RESTRICTION	TACAN TKS RDL MAG°/DISTANCE NM	WGS-84 COORDINATES
001	IF	EKTIZ	-	-	FL110	077/38.3	52 25 04.077 N 018 00 00.000 E
002	TF	TENVO	211 (216.50)	13.94	FL110	096/30.0	52 13 54.000 N 017 46 27.000 E
003	TF	CMP	256 (261.00)	39.41	FL110	212/15.0	52 08 00.000 N 016 43 09.000 E
004	TF	ETABI	308 (313.40)	14.00	4000 FT	258/19.4	52 17 38.000 N 016 26 38.000 E
005	TF	KY15	024 (029.40)	10.30	2800 FT	290/15.7	52 26 35.745 N 016 34 51.950 E
006	TF	KY10	110 (114.80)	5.00	2800 FT	290/10.7	52 24 29.952 N 016 42 16.720 E
007	TF	FAF (TACAN RWY 11)	110 (115.00)	4.37	MANDATORY 2100 FT	290/6.3	52 22 39.589 N 016 48 44.559 E

ODMIQ 1Y ARR

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/ TRACK °M (°T)	DISTANCE (NM)	ALTITUDE RESTRICTION	TACAN TKS RDL MAG°/DISTANCE NM	WGS-84 COORDINATES
001	IF	ODMIQ	-	-	FL100	358/23.4	52 43 22.411 N 017 00 08.219 E
002	TF	BAISA	247 (252.40)	14.38	FL100	321/23.0	52 39 05.000 N 016 37 35.000 E
003	TF	KY15	182 (187.50)	12.61	2800 FT	290/15.7	52 26 35.745 N 016 34 51.950 E
004	TF	KY10	110 (114.80)	5.00	2800 FT	290/10.7	52 24 29.952 N 016 42 16.720 E
005	TF	FAF (TACAN RWY 11)	110 (115.00)	4.37	MANDATORY 2100 FT	290/6.3	52 22 39.589 N 016 48 44.559 E

TITQE 1Y ARR

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/ TRACK °M (°T)	DISTANCE (NM)	ALTITUDE RESTRICTION	TACAN TKS RDL MAG°/DISTANCE NM	WGS-84 COORDINATES
001	IF	TITQE	-	-	FL130	229/30.5	52 01 57.000 N 016 18 11.000 E
002	TF	UBZAZ	013 (018.30)	3.35	FL100	233/27.8	52 05 07.376 N 016 19 53.066 E
003	TF	ETABI	013 (018.40)	13.20	4000 FT	258/19.4	52 17 38.000 N 016 26 38.000 E
004	TF	KY15	024 (029.40)	10.30	2800 FT	290/15.7	52 26 35.745 N 016 34 51.950 E
005	TF	KY10	110 (114.80)	5.00	2800 FT	290/10.7	52 24 29.952 N 016 42 16.720 E
006	TF	FAF (TACAN RWY 11)	110 (115.00)	4.37	MANDATORY 2100 FT	290/6.3	52 22 39.589 N 016 48 44.559 E

UVCOV 1Y ARR

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/ TRACK °M (°T)	DISTANCE (NM)	ALTITUDE RESTRICTION	TACAN TKS RDL MAG°/DISTANCE NM	WGS-84 COORDINATES
001	IF	UVCOV	-	-	FL190	334/53.5	53 09 43.000 N 016 26 46.000 E
002	TF	ACTAF	189 (193.80)	31.00	FL100	302/33.1	52 39 39.014 N 016 14 27.617 E
003	TF	VABAT	189 (193.80)	7.27	7000 FT	289/31.4	52 32 36.000 N 016 11 37.000 E
004	TF	KY22	107 (111.60)	8.44	5000 FT	290/22.7	52 29 31.071 N 016 24 28.095 E
005	TF	KY15	110 (114.80)	7.00	2800 FT	290/15.7	52 26 35.745 N 016 34 51.950 E
006	TF	KY10	110 (114.80)	5.00	2800 FT	290/10.6	52 24 29.952 N 016 42 16.720 E
007	TF	FAF (TACAN RWY 11)	110 (115.00)	4.37	MANDATORY 2100 FT	290/6.3	52 22 39.589 N 016 48 44.559 E