



RNAV STAR RWY 24

ADSEB 3B ARLOM 3B ERKOM 3B SIGGE 1B

DME/DME OPS: NOT SUPPORTED

ROUTES: RNAV PROC CODING ON THE VERSO OF THE CHART
ATC WILL GIVE DESCENT CLEARANCES

WPT CONSTRAINTS: ALT / FL / SPEED CONSTRAINTS MUST ALWAYS BE FOLLOWED AS
PUBLISHED UNLESS EXPLICITLY CANCELLED BY ATC

CD OPS: BY ATC CLR IF TFC PERMITS. PLAN CD PATH ACCORDING TO STAR

RCF: SELECT TRANSPONDER CODE 7600

RNAV STAR HAS BEEN GIVEN AND ACKNOWLEDGED:
FOLLOW THE STAR TO THE RESPECTIVE RWY
AND EXECUTE IAP AND LAND

AREA MNM ALT: SEE AMA INDEX, AIP ENR 6.1 - 3

CHG: editorial

EFLP RNAV STAR RWY 24										
RTE NAV SPEC	SEQ NR	P/T	WPT		MAG	GEO TR	DIST NM	Constraints		
			ID	Flyover				LVL	LVL	Speed
ADSEB 3B RNAV 1	010	IF	ADSEB	-	-	-	-	F100+		
	020	TF	RUVUB	-	029°	039.8°T	11.5	A2100+		K200-
	030	TF	KOSUP	-	326°	337.1°T	4.0	A2100+		

ARLOM 3B RNAV 1	010	IF	ARLOM	-	-	-	-	F100+		
	020	TF	BABIV	-	042°	053.1°T	18.5	A2100+		
	030	TF	RUVUB	-	050°	060.7°T	9.5	A2100+		K200-
	040	TF	KOSUP	-	326°	337.1°T	4.0	A2100+		

ERKOM 3B RNAV 1	010	IF	ERKOM	-	-	-	-	F100+		
	020	TF	BOXWO	-	134°	144.4°T	10.2			K240-
	030	TF	WEZWA	-	056°	066.5°T	5.0			
	040	TF	PESIN	-	056°	066.7°T	10.2	A2100+		K240-
	050	TF	KOSUP	-	146°	157.0°T	5.0	A2100+		

SIGGE 1B RNAV 1	010	IF	SIGGE	-	-	-	-	F100+		
	020	TF	PESIN	-	173°	183.9°T	11.2	A2100+		K240-
	030	TF	KOSUP	-	146°	157.0°T	5.0	A2100+		

RNAV Holdings							
ID	INBD TR	INBD MAG	Turn Direction	Speed	MNM HLDG LVL	TIME	DIST NM
KOSUP	157.0°T	146°	Right	K230-	A2100	1 MIN	-

WPT COORD
SEE PAGE EFLP AD 2.15 - 1